

Loon Lab Extracts & Research LLC

4730 Quebec Ave N.
New Hope, MN 55428
gabriel@loonlabmn.com
(651) 808-7240


Sample: 2406AIT0688.1419

Strain: n/a
Batch#: LL-Caramel Apple-001; Batch Size: g
Sample Received: 06/10/2024; Report Created: 06/19/2024

LL-Caramel Apple-001

Ingestible, Hard Lozenge



	0.222% 46.6 mg/container 4.7 mg/serving Total THC	<LOQ <LOQ <LOQ Total CBD	0.230% 48.4 mg/container 4.8 mg/serving Total Cannabinoids
---	--	--	---

Cannabinoids

Date Tested: 06/12/2024

Analytes	%	mg/g	mg/ml	mg/serving	LOQ
CBC	<LOQ	<LOQ	<LOQ	<LOQ	0.004
CBD	<LOQ	<LOQ	<LOQ	<LOQ	0.004
CBDa	<LOQ	<LOQ	<LOQ	<LOQ	0.004
CBDV	<LOQ	<LOQ	<LOQ	<LOQ	0.004
CBG	0.009	0.086	0.086	0.182	0.004
CBGa	<LOQ	<LOQ	<LOQ	<LOQ	0.004
CBL	<LOQ	<LOQ	<LOQ	<LOQ	0.004
CBN	<LOQ	<LOQ	<LOQ	<LOQ	0.004
Δ8-THC	<LOQ	<LOQ	<LOQ	<LOQ	0.004
Δ9-THC	0.222	2.218	2.218	4.658	0.004
THCa	<LOQ	<LOQ	<LOQ	<LOQ	0.004
THCVa	<LOQ	<LOQ	<LOQ	<LOQ	0.004

Method: HPLC
Total THC = THCa * 0.877 + Δ9-THC
Total CBD = CBDa * 0.877 + CBD

Total Cannabinoids represents the sum of all cannabinoids in the table above.
Results are reported on a dry weight basis: Cannabinoid % / (1.0 - moisture content % / 100) = Dry weight cannabinoids %
LOQ = Limit of Quantitation

Summary

Pass Residual Solvents	Pass Pesticides
Pass Mycotoxins	Pass Heavy Metals
Pass Microbials	

4150 98th Ave S
Fargo, ND
(888) 897-4367
www.hempinspection.com




Bradley Towey

Senior Analytical Chemist



Confident LIMS
All Rights Reserved
(866) 506-5866

This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division - Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.

Loon Lab Extracts & Research LLC

4730 Quebec Ave N.
New Hope, MN 55428
gabriel@loonlabmn.com
(651) 808-7240

Sample: 2406AIT0688.1419

Strain: n/a
Batch#: LL-Caramel Apple-001; Batch Size: g
Sample Received: 06/10/2024; Report Created: 06/19/2024

LL-Caramel Apple-001

Ingestible, Hard Lozenge



Microbials

Pass

Date Tested: 06/12/2024

Analyte	Limit	Units	Status
Yeast & Mold	1000	CFU/g	Not Present
Salmonella	1	Not Detected	Not Present
Shiga Toxin-producing E. coli (STEC)	1	<LOQ	Not Present



Method: qPCR

Loon Lab Extracts & Research LLC

4730 Quebec Ave N.
New Hope, MN 55428
gabriel@loonlabmn.com
(651) 808-7240

Sample: 2406AIT0688.1419

Strain: n/a
Batch#: LL-Caramel Apple-001; Batch Size: g
Sample Received: 06/10/2024; Report Created: 06/19/2024

LL-Caramel Apple-001

Ingestible, Hard Lozenge



Mycotoxins

Pass

Date Tested: 06/12/2024

Analyte	LOQ	Limit	Units	Status
	PPB	PPB	PPB	
Aflatoxin B1	1.00	20.00	<LOQ	Pass
Aflatoxin B2	1.00	20.00	<LOQ	Pass
Aflatoxin G1	1.00	20.00	<LOQ	Pass
Aflatoxin G2	1.00	20.00	<LOQ	Pass
Ochratoxin A	1.00	20.00	<LOQ	Pass

Method: LCMS

4150 98th Ave S
Fargo, ND
(888) 897-4367
www.hempinspection.com




Bradley Towey

Senior Analytical Chemist



Confident LIMS
All Rights Reserved
(866) 506-5866

This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division - Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.

Loon Lab Extracts & Research LLC

4730 Quebec Ave N.
New Hope, MN 55428
gabriel@loonlabmn.com
(651) 808-7240

Sample: 2406AIT0688.1419

Strain: n/a
Batch#: LL-Caramel Apple-001; Batch Size: g
Sample Received: 06/10/2024; Report Created: 06/19/2024

LL-Caramel Apple-001

Ingestible, Hard Lozenge



Heavy Metals

Pass

Date Tested: 06/12/2024

Analyte	LOQ	Limit	Mass	Status
	PPM	PPM	PPM	
Arsenic	0.10	1.50	<LOQ	Pass
Cadmium	0.10	0.50	<LOQ	Pass
Lead	0.10	0.50	<LOQ	Pass
Mercury	0.10	3.00	<LOQ	Pass



Method: ICPMS

Loon Lab Extracts & Research LLC

4730 Quebec Ave N.
New Hope, MN 55428
gabriel@loonlabmn.com
(651) 808-7240

Sample: 2406AIT0688.1419

Strain: n/a
Batch#: LL-Caramel Apple-001; Batch Size: g
Sample Received: 06/10/2024; Report Created: 06/19/2024

LL-Caramel Apple-001

Ingestible, Hard Lozenge



Pesticides

Pass

Date Tested: 06/12/2024

Analyte	LOQ	Limit	Mass	Status
	PPM	PPM	PPM	
Abamectin	0.01	0.50	<LOQ	Pass
Acephate	0.01	0.40	<LOQ	Pass
Acequinocyl	0.01	2.00	<LOQ	Pass
Acetamiprid	0.01	0.20	<LOQ	Pass
Aldicarb	0.01	0.40	<LOQ	Pass
Azoxystrobin	0.01	0.20	<LOQ	Pass
Bifenazate	0.01	0.20	<LOQ	Pass
Bifenthrin	0.01	0.20	<LOQ	Pass
Boscalid	0.01	0.40	<LOQ	Pass
Carbaryl	0.01	0.20	<LOQ	Pass
Carbofuran	0.01	0.20	<LOQ	Pass
Chlorantraniliprole	0.01	0.20	<LOQ	Pass
Chlorfenapyr	0.01	1.00	<LOQ	Pass
Chlorpyrifos	0.01	0.20	<LOQ	Pass
Clofentezine	0.01	0.20	<LOQ	Pass
Cyfluthrin	0.01	1.00	<LOQ	Pass
Cypermethrin	0.01	1.00	<LOQ	Pass
Daminozide	0.01	1.00	<LOQ	Pass
DDVP	0.01	1.00	<LOQ	Pass
Diazinon	0.01	0.20	<LOQ	Pass
Dimethoate	0.01	0.20	<LOQ	Pass
Ethoprophos	0.01	0.20	<LOQ	Pass
Etofenprox	0.01	0.40	<LOQ	Pass
Etoxazole	0.01	0.20	<LOQ	Pass
Fenoxycarb	0.01	0.20	<LOQ	Pass

Methods: LCMS and GCMS

4150 98th Ave S
Fargo, ND
(888) 897-4367
www.hempinspection.com




Bradley Towey

Senior Analytical Chemist



Confident LIMS
All Rights Reserved
(866) 506-5866

This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division - Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.

Loon Lab Extracts & Research LLC

4730 Quebec Ave N.
New Hope, MN 55428
gabriel@loonlabmn.com
(651) 808-7240

Sample: 2406AIT0688.1419

Strain: n/a
Batch#: LL-Caramel Apple-001; Batch Size: g
Sample Received: 06/10/2024; Report Created: 06/19/2024

LL-Caramel Apple-001

Ingestible, Hard Lozenge



Pesticides

Pass

Date Tested: 06/12/2024

Analyte	LOQ	Limit	Mass	Status
	PPM	PPM	PPM	
Fenpyroximate	0.01	0.40	<LOQ	Pass
Fipronil	0.01	0.40	<LOQ	Pass
Fonicamid	0.01	1.00	<LOQ	Pass
Fludioxonil	0.01	0.40	<LOQ	Pass
Hexythiazox	0.01	1.00	<LOQ	Pass
Imazalil	0.01	0.20	<LOQ	Pass
Imidacloprid	0.01	0.40	<LOQ	Pass
Kresoxim Methyl	0.01	0.40	<LOQ	Pass
Malathion	0.01	0.20	<LOQ	Pass
Metalaxyl	0.01	0.20	<LOQ	Pass
Methiocarb	0.01	0.20	<LOQ	Pass
Methomyl	0.01	0.40	<LOQ	Pass
Methyl Parathion	0.01	0.20	<LOQ	Pass
MGK-264	0.01	0.20	<LOQ	Pass
Myclobutanil	0.01	0.20	<LOQ	Pass
Naled	0.01	0.50	<LOQ	Pass
Oxamyl	0.01	1.00	<LOQ	Pass
Paclobutrazol	0.01	0.40	<LOQ	Pass
Permethrins	0.01	0.20	<LOQ	Pass
Phosmet	0.01	0.20	<LOQ	Pass
Piperonyl Butoxide	0.01	2.00	<LOQ	Pass
Prallethrin	0.01	0.20	<LOQ	Pass
Propiconazole	0.01	0.40	<LOQ	Pass
Propoxur	0.01	0.20	<LOQ	Pass
Pyrethrins	0.01	1.00	<LOQ	Pass

Methods: LCMS and GCMS

4150 98th Ave S
Fargo, ND
(888) 897-4367
www.hempinspection.com




Bradley Towey

Senior Analytical Chemist



Confident LIMS
All Rights Reserved
(866) 506-5866

This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division - Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.

Loon Lab Extracts & Research LLC

4730 Quebec Ave N.
New Hope, MN 55428
gabriel@loonlabmn.com
(651) 808-7240

Sample: 2406AIT0688.1419

Strain: n/a
Batch#: LL-Caramel Apple-001; Batch Size: g
Sample Received: 06/10/2024; Report Created: 06/19/2024

LL-Caramel Apple-001

Ingestible, Hard Lozenge



Pesticides

Pass

Date Tested: 06/12/2024

Analyte	LOQ	Limit	Mass	Status
	PPM	PPM	PPM	
Pyridaben	0.01	0.20	<LOQ	Pass
Spinosad	0.01	0.20	<LOQ	Pass
Spiromesifen	0.01	0.20	<LOQ	Pass
Spirotetramat	0.01	0.20	<LOQ	Pass
Spiroxamine	0.01	0.40	<LOQ	Pass
Tebuconazole	0.01	0.40	<LOQ	Pass
Thiacloprid	0.01	0.20	<LOQ	Pass
Thiamethoxam	0.01	0.20	<LOQ	Pass
Trifloxystrobin	0.01	0.20	<LOQ	Pass

Methods: LCMS and GCMS

4150 98th Ave S
Fargo, ND
(888) 897-4367
www.hempinspection.com



Bradley Towey
Bradley Towey

Senior Analytical Chemist



Confident LIMS
All Rights Reserved
(866) 506-5866

This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division - Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.

Loon Lab Extracts & Research LLC

 4730 Quebec Ave N.
 New Hope, MN 55428
 gabriel@loonlabmn.com
 (651) 808-7240

Sample: 2406AIT0688.1419

 Strain: n/a
 Batch#: LL-Caramel Apple-001; Batch Size: g
 Sample Received: 06/10/2024; Report Created: 06/19/2024

LL-Caramel Apple-001

Ingestible, Hard Lozenge



Residual Solvents

Pass

Date Tested: 06/12/2024

Analyte	LOQ	Limit	Mass	Status
	PPM	PPM	PPM	
1,4-Dioxane	71.250	380.000	<LOQ	Pass
2-Butanol	437.500	5000.000	<LOQ	Pass
2-Ethoxy-Ethanol	30.000	160.000	<LOQ	Pass
2-Propanol IPA	437.500	5000.000	<LOQ	Pass
Acetone	437.500	5000.000	<LOQ	Pass
Acetonitrile	76.880	410.000	<LOQ	Pass
Benzene	0.375	2.000	<LOQ	Pass
Butanes	156.300	5000.000	<LOQ	Pass
Cumene	13.130	70.000	<LOQ	Pass
Cyclohexane	727.500	3880.000	<LOQ	Pass
Dichloromethane	112.500	600.000	<LOQ	Pass
Ethanol	437.500	5000.000	<LOQ	Pass
Ethyl-Acetate	437.500	5000.000	<LOQ	Pass
Ethyl-Ether	437.500	5000.000	<LOQ	Pass
Ethylene Glycol	116.300	620.000	<LOQ	Pass
Ethylene Oxide	9.375	50.000	<LOQ	Pass
Heptane	437.500	5000.000	<LOQ	Pass
Hexanes	217.500	290.000	<LOQ	Pass
Isopropyl-Acetate	437.500	5000.000	<LOQ	Pass
Methanol	312.500	3000.000	<LOQ	Pass
Pentanes	953.100	5000.000	<LOQ	Pass
Propane	31.250	5000.000	<LOQ	Pass
Tetrahydrofuran	135.000	720.000	<LOQ	Pass
Toluene	166.900	890.000	<LOQ	Pass
Xylenes	1221.000	2170.000	<LOQ	Pass

Method: GCMS (Headspace)

 4150 98th Ave S
 Fargo, ND
 (888) 897-4367
 www.hempinspection.com


 Bradley Towey

Senior Analytical Chemist

 Confident LIMS
 All Rights Reserved
 (866) 506-5866

This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division - Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.